



SAFETY DATA SHEET GLAZE POWDER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name GLAZE POWDER

Product number C042 EV

Internal identification Janitorial

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Alkaline Chlorine based Powdered detergent for Dish & Glass washing machines

1.3. Details of the supplier of the safety data sheet

Supplier	<p>UK Supplier:</p> <p>Evans Vanodine International plc</p> <p>Brierley Road,</p> <p>Walton Summit,</p> <p>Preston. UK. PR5 8AH</p> <p>Tel: 01772 322 200</p> <p>e-mail: productcompliance@evansvanodine.co.uk</p>	<p>EU Supplier:</p> <p>Evans Vanodine Europe</p> <p>6-9 Trinity Street, Dublin 2.</p> <p>D02 EY47.</p> <p>Republic of Ireland.</p>
-----------------	---	--

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm

National emergency telephone number For Health Care Professionals only -

For use in UK: Contact the National Poisons Information Service for further advice.

For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). .

For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word

Danger

GLAZE POWDER

Hazard statements	<p>H314 Causes severe skin burns and eye damage.</p> <p>H335 May cause respiratory irritation.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P260 Do not breathe dust.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P315 Get immediate medical advice/ attention.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
Supplemental label information	EUH031 Contact with acids liberates toxic gas.
Contains	DISODIUM METASILICATE, TROCLOSENE SODIUM, DIHYDRATE (Sodium Dichloroisocyanurate Dihydrate)

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM CARBONATE CAS number: 497-19-8 EC number: 207-838-8	30-60%
Classification Eye Irrit. 2 - H319	
DISODIUM METASILICATE CAS number: 6834-92-0 EC number: 229-912-9	5-10%
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335	
TRISODIUM (ORTHO) PHOSPHATE CAS number: 10101-89-0	5-10%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335	

GLAZE POWDER

PENTASODIUM TRIPHOSPHATE		5-10%
CAS number: 7758-29-4		EC number: 231-838-7
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335		
TROCLOSENE SODIUM, DIHYDRATE (Sodium Dichloroisocyanurate Dihydrate)		1-3%
CAS number: 51580-86-0		EC number: 220-767-7
M factor (Acute) = 1		M factor (Chronic) = 1
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
SODIUM SILICATE		1-3%
CAS number: —		
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue damage.

4.3. Indication of any immediate medical attention and special treatment needed

GLAZE POWDER

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances:
Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. Avoid inhalation of dust. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions This product is dangerous for the environment: Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection. Avoid inhalation of dust. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water. DO NOT mix with other chemicals. Contact with acids liberates toxic gas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM CARBONATE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

GLAZE POWDER

WEL = Workplace Exposure Limit.

SODIUM SULPHATE (CAS: 7757-82-6)

Ingredient comments	No exposure limits known for ingredient(s).
----------------------------	---

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Use mechanical ventilation if there is a risk of handling causing formation of airborne dust.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Granules. Powder.
Colour	White.
Odour	Characteristic. Chlorine.
pH	pH (diluted solution): 10.5 - 11.5 @ 1%
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Relative density	Not applicable.
Solubility(ies)	Soluble in water.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Reacts violently with strong acids. Generates toxic gas in contact with acid. The product reacts with water and will generate heat. The product will harden into a solid mass in contact with water and moisture.
-------------------	---

10.2. Chemical stability

Stability	No particular stability concerns.
------------------	-----------------------------------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	See sections 10.1, 10.4 & 10.5
---	--------------------------------

GLAZE POWDER

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. The product will harden into a solid mass in contact with water and moisture.

10.5. Incompatible materials

Materials to avoid Strong acids. Aluminium, Tin, Zinc and their alloys.

10.6. Hazardous decomposition products

Hazardous decomposition products Toxic chlorine gas can be released if heated.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Other health effects Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 29,400.0

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability Rapidly degrades to Sodium Chloride by chemical reaction with organic matter in effluent.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

GLAZE POWDER

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	3262
UN No. (IMDG)	3262
UN No. (ICAO)	3262

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate and troclosene sodium, dihydrate)
Proper shipping name (IMDG)	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate and troclosene sodium, dihydrate)
Proper shipping name (ICAO)	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate and troclosene sodium, dihydrate)

14.3. Transport hazard class(es)

ADR/RID class	Class 8: Corrosive substances.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.

14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS	F-A, S-B
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant. for a packaged product.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.
----------------	---

15.2. Chemical safety assessment

GLAZE POWDER

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</p> <p>GHS: Globally Harmonized System.</p>
Classification abbreviations and acronyms	<p>Acute Tox. = Acute toxicity</p> <p>Aquatic Acute = Hazardous to the aquatic environment (acute)</p> <p>Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p> <p>Eye Dam. = Serious eye damage</p> <p>Eye Irrit. = Eye irritation</p> <p>Skin Corr. = Skin corrosion</p> <p>Skin Irrit. = Skin irritation</p> <p>STOT SE = Specific target organ toxicity-single exposure</p>
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	SDS re-issued after a 3 year old SDS Review.
Revision date	23/08/2021
Revision	12
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	<p>H302 Harmful if swallowed.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H335 May cause respiratory irritation.</p> <p>H400 Very toxic to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p>